



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Locator Leak Detector**

Product Code(s) : LOC-G (P/N 475055); LOC 475054

Recommended use of the chemical and restrictions on use

: Professional Use Only: Refrigeration leak locator.

Chemical family

: Mixture.

Name, address, and telephone number of the supplier:

Parker Hannifin Corporation - Sporlan Division

206 Lange Drive
Washington, MO, U.S.A.
63090

Supplier's Telephone # : (636) 239-1111

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

Name, address, and telephone number of the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Carcinogenicity- Category 2 WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). WHMIS classification:

Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material)

Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Hazard classification:

Skin Corrosion/Irritation - Category 2

Eye Damage/Irritation - Category 2B

Carcinogenicity- Category 2

Label elements

The following label information is applicable only to the United States according to OSHA Regulations (29 CFR 1910.1200) (Hazcom 2012):

Signal Word

DANGER!

Hazard statement(s)

Causes skin irritation.

Causes eye irritation.

Suspected of causing cancer.



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 2 of 11

SAFETY DATA SHEET

Precautionary statement(s)

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wash thoroughly after handling.
Wear protective gloves/clothing and eye/face protection.

IF exposed or concerned: Get medical attention/advice.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs, get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists, get medical advice/attention.



The following label information is applicable only to Canada according to the Canadian Controlled Products Regulations (CPR/WHMIS):

DANGER! Causes eye irritation. Causes severe skin irritation. May be harmful if inhaled or swallowed. May cause respiratory irritation. Suspected of causing cancer.

PRECAUTIONS: Use only outdoors or in a well-ventilated area. Wear suitable protective equipment during handling. Avoid breathing vapour or mist. Avoid contact with eyes, skin and clothing. Keep away from incompatibles. Keep away from heat, sparks and open flame. - No smoking. Store in a cool, dry, well ventilated area.

FIRST AID: For skin contact, immediately remove all contaminated clothing. Flush skin thoroughly with running water for at least 15 to 20 minutes. If skin irritation occurs, seek medical advice/attention. If in contact with eyes, immediately flush eyes with running water for at least 20 minutes. Immediately call a POISON CENTRE or doctor/physician. If inhaled, move to fresh air. If ingested, do not induce vomiting. When symptoms persist or in all cases of doubt seek medical advice.

Refer To Material Safety Data Sheet for further information.

WHMIS symbols required on a supplier label:



Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Ingestion may cause irritation of the mouth, throat and stomach. May cause irritation to the nose, throat and upper respiratory tract.

Environmental precautions:

Avoid release to the environment.

See ECOLOGICAL INFORMATION, Section 12.



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 3 of 11

SAFETY DATA SHEET

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>CAS #</u>	<u>Concentration</u>
Cocamide diethanolamine	68603-42-9	1.0 - 5.0
Sodium lauryl sulfate	151-21-3	1.0 - 5.0
Sodium alpha-olefin sulphonate	68439-57-6	1.0 - 5.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.
- Inhalation* : If breathed in, move person into fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Consult a physician.
- Skin contact* : IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Duration of rinsing should be at least 20 minutes. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

- : Causes serious eye damage. Causes severe skin irritation. Ingestion may cause irritation of the mouth, throat and stomach. May cause irritation to the nose, throat and upper respiratory tract.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable extinguishing media* : Use water fog or fine spray, foams, carbon dioxide or dry chemical.
- Unsuitable extinguishing media* : Do not use water jet, as this may spread burning material.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Not flammable under normal conditions of use. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Product may float, and be re-ignited at the water's surface.

Flammability classification (OSHA 29 CFR 1910.106)

- : Non-flammable.

Explosion Data: Sensitivity to Mechanical Impact / Static Discharge:

- : Not expected to be sensitive to mechanical impact or static discharge.

Hazardous combustion products

- : Carbon dioxide and carbon monoxide. Sodium oxides; sulfur oxides; Nitrogen oxides; Hydrogen chloride.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 4 of 11

SAFETY DATA SHEET

- : Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning liquid with water spray used for cooling purposes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

- : Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Cover any spilled material with non-combustible absorbent material, such as vermiculite or sand, then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
 US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only in well-ventilated areas. Wear protective gloves/clothing and eye/face protection. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Protect from moisture. Keep container tightly closed. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Wash thoroughly after handling.

Conditions for safe storage

- : Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Inspect periodically for damage or leaks. Store out of direct sunlight. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Store locked up.

Incompatible materials

- : Oxidizing agents; Acids

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Cocamide diethanolamine	N/Av	N/Av	N/Av	N/Av
Sodium lauryl sulfate	N/Av	N/Av	N/Av	N/Av
Sodium alpha-olefin sulphonate	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures

- : Use only in well-ventilated areas. Provide sufficient ventilation to keep vapour concentration below the given TLV and/or PEL.



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 5 of 11

SAFETY DATA SHEET

- Respiratory protection** : Respiratory protection is required if the concentrations exceed the TLV. Use NIOSH/MSHA approved equipment. Advice should be sought from respiratory protection specialists.
- Skin protection** : Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.
- Eye / face protection** : Chemical splash goggles must be worn when handling this material.
- Other protective equipment** : Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. Ensure that eyewash stations and safety showers are close to the workstation location.
- General hygiene considerations** : Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Purple liquid.
- Odour** : Bland odor.
- Odour threshold** : N/Av
- pH** : 8-10
- Melting/Freezing point** : 0°C (32°F)
- Initial boiling point and boiling range** : 100°C (212°F)
- Flash point** : >100°C (>212°F)
- Flashpoint (Method)** : Seta closed cup
- Evaporation rate (BuAe = 1)** : > 1
- Flammability (solid, gas)** : N/Av
- Lower flammable limit (% by vol.)** : N/Av
- Upper flammable limit (% by vol.)** : N/Av
- Oxidizing properties** : None known.
- Explosive properties** : Not explosive
- Vapour pressure** : 23.8 mmHg @25°C (77°F)
- Vapour density** : >1
- Relative density / Specific gravity** : 1.1
- Solubility in water** : miscible
- Other solubility(ies)** : N/Av
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : N/Av
- Auto-ignition temperature** : N/Av
- Decomposition temperature** : N/Av
- Viscosity** : N/Av
- Volatiles (% by weight)** : 92.6% (water)
- Volatile organic Compounds (VOC's)** : N/Av
- Absolute pressure of container** : N/Av
- Flame projection length** : N/Av



Locator Leak Detector
SDS Revision Date (mm/dd/yyyy): 05/05/2015

LOC-G; LOC
Page 6 of 11

SAFETY DATA SHEET

Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions : Hazardous polymerization will not occur.
Conditions to avoid : Avoid contact with incompatible materials. Keep away from direct sunlight. Do not use in areas without adequate ventilation.
Incompatible materials : Oxidizing agents; Acids
Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption : NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: May cause respiratory irritation. Symptoms may include coughing, choking and wheezing.

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sign and symptoms skin

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification: Skin Irritation - Category 2
Causes skin irritation.

Sign and symptoms eyes

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification: Eye Damage/Irritation - Category 2B
Causes eye irritation.

Potential Chronic Health Effects

: None expected, when used as intended.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification: Carcinogenicity- Category 2
Suspected of causing cancer.

Reproductive effects & Teratogenicity

: This material is not classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012).

Senitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects

: The substance or mixture is not classified as specific target organ toxicant, single exposure.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 7 of 11

SAFETY DATA SHEET

Irritancy : Causes eye, skin and respiratory irritation.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: No information available.

Toxicological data

: No data is available on the product itself.

The calculated ATE values for this mixture are:

ATE oral = 43350 mg/kg

ATE dermal = 25101.66 mg/kg

See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Cocamide diethanolamine	N/Av	> 5000 mg/kg	> 2000 mg/kg
Sodium lauryl sulfate	N/Av	1280 mg/kg	600mg/kg
Sodium alpha-olefin sulphonate	N/Av	2310 mg/kg	N/Av

Other important toxicological hazards

:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Cocamide diethanolamine	68603-42-9	3.6mg/L (Zebra fish)	N/Av	None.
Sodium lauryl sulfate	151-21-3	4.1mg/L (sheepshead minnow)	<3.8mg/L (Fathead minnow)	None.
Sodium alpha-olefin sulphonate	68439-57-6	4.2mg/L (Zebra fish)	N/Av	None.

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Cocamide diethanolamine	68603-42-9	2.39mg/L (Water flea)	0.9 mg/L (Water flea)	None.
Sodium lauryl sulfate	151-21-3	5.55mg/L (Water flea)	1.357 mg/L (Water flea)	None.
Sodium alpha-olefin sulphonate	68439-57-6	4.53 mg/L (Water flea)	6.3 mg/L (Water flea)	None.



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 8 of 11

SAFETY DATA SHEET

Ingredients	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Cocamide diethanolamine	68603-42-9	2.2mg/L (Green algae)	N/Av	None.
Sodium lauryl sulfate	151-21-3	>120mg/L (Green algae)	30 mg/L (Green algae)	None.
Sodium alpha-olefin sulphonate	68439-57-6	5.2mg/L (Green algae)	3.2 mg/L (Green algae)	None.

Persistence and degradability

: The product itself has not been tested.

Bioaccumulation potential

: The product itself has not been tested.

Mobility in soil

: The product itself has not been tested.

Other Adverse Environmental effects

: None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None	Not regulated.	Not regulated	none	
49CFR/DOT Additional information	None.				
TDG	None	Not regulated.	Not regulated	none	
TDG Additional information	None.				
ICAO/IATA	None	Not regulated.	Not regulated	none	
ICAO/IATA Additional information	None.				

Special precautions for user

: Appropriate advice on safety must accompany the package.

Environmental hazards

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 9 of 11

SAFETY DATA SHEET

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: This information is not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Cocamide diethanolamine	68603-42-9	Yes	N/Ap	N/Av	No	N/Ap
Sodium lauryl sulfate	151-21-3	Yes	N/Ap	N/Av	No	N/Ap
Sodium alpha-olefin sulphonate	68439-57-6	Yes	N/Ap	N/Av	No	N/Ap

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Cocamide diethanolamine	68603-42-9	Yes	Carcinogen	No	No	No	No	No	No
Sodium lauryl sulfate	151-21-3	No	N/Ap	No	No	No	No	No	No
Sodium alpha-olefin sulphonate	68439-57-6	No	N/Ap	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Cocamide diethanolamine	68603-42-9	271-657-0	Present	Present	(8)-311	KE-03192	Present	HSR003347
Sodium lauryl sulfate	151-21-3	205-788-1	Present	Present	(2)-1679; (2)-1675	KE-21884	Present	HSR003122
Sodium alpha-olefin sulphonate	68439-57-6	270-407-8	Present	Present	(9)-2038	KE-32477	Present	HSR003353



Locator Leak Detector

LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 10 of 11

SAFETY DATA SHEET

SECTION 16. OTHER INFORMATION

Legend : ACGIH: American Conference of Governmental Industrial Hygienists
ATE: Acute Toxicity Estimate
CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
DOT: Department of Transportation
EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
Inh: Inhalation
LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MSHA: Mine Safety and Health Administration
N/Ap: Not Applicable
N/Av: Not Available
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2014.
2. International Agency for Research on Cancer Monographs, searched 2014.
3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2015 (Chempendium, HSDB and RTECs).
4. Material Safety Data Sheets from manufacturer.
5. US EPA Title III List of Lists - October 2012
6. California Proposition 65 List - 26 December 2014

Preparation Date (mm/dd/yyyy) : 06/14/2012

Reviewed Date SDS (dd/mm/yyyy) : 05/05/2015

Revision No. : 3

Revision Information : All (format change)

Other special considerations for handling : Provide adequate information, instruction and training for operators.

HMIS Rating : * - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
Health: 2 *Flammability:* 1 *Reactivity:* 0



Locator Leak Detector



LOC-G; LOC

SDS Revision Date (mm/dd/yyyy): 05/05/2015

Page 11 of 11

SAFETY DATA SHEET

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
 : *Health:* 2 *Flammability:* 1 *Instability:* 0 *Special Hazards:* None

<p><u>Prepared for:</u> Parker Hannifin Corporation - Sporlan Division 206 Lange Drive Washington, MO 63090 U.S.A. Telephone: (636) 239-1111 Direct all enquiries to: Parker Hannifin Corp. - Sporlan Division.</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corporation expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corporation.

END OF DOCUMENT