



G50 – BW5070, BW5071, BW5072, BW5073, BW5074, BW5075, BW5076, BW5082, BW5086, BK6028, BK6043, BK6045, BK6048, BK6052, BK6375, BK6380, BK6426, BK6444, BK6451, BK6452, BK6463, BK6579, BK6634, BK6953, BK6984

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/06/2015

Revision date: 09/07/18

Supersedes: 09/21/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : BTA PLUS Solid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Supplemental Coolant Additive

1.3. Details of the supplier of the safety data sheet

Baldwin Filters
4400 E Highway 30
Kearney, NE 68847 - US
T 800-822-5394
baldwin.info@parker.com - www.baldwinfilter.com

1.4. Emergency telephone number

Emergency number : 800-424-9300 Inside the U.S., Canada and the U.S. Virgin Islands
703-527-3887 Outside the U.S. (Collect calls accepted.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral) H302
Skin Irrit. 2 H315
Eye Dam. 1 H318
Resp. Sens. 1 H334
Skin Sens. 1 H317
Aquatic Acute 2 H401
Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05

GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H401 - Toxic to aquatic life

Precautionary statements (GHS-US) : P261 - Avoid breathing dust
P264 - Wash hands, forearms and face thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P272 - Contaminated work clothing must not be allowed out of the workplace
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P284 - [In case of inadequate ventilation] wear respiratory protection
P301+P312 - If swallowed: Call a poison center/doctor if you feel unwell
P302+P352 - If on skin: Wash with plenty of soap and water
P304+P341 - If inhaled: Remove person to fresh air and keep comfortable for breathing

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a poison center/doctor
 P330 - Rinse mouth
 P332+P313 - If skin irritation occurs: Get medical advice/attention
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
 P342+P311 - If experiencing respiratory symptoms: Call a poison center/doctor
 P362+P364 - Take off contaminated clothing and wash it before reuse
 P363 - Wash contaminated clothing before reuse
 P501 - Dispose in a safe manner in accordance with local/national regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

5.52% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
 54.85% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
 35.27% of the mixture consists of ingredient(s) of unknown acute toxicity (Dust/Mist)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Tetrapotassium Pyrophosphate	(CAS No) 7320-34-5	10 - 30	Eye Irrit. 2A, H319
Sodium Nitrite	(CAS No) 7632-00-0	10 - 30	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
Sodium Nitrate	(CAS No) 7631-99-4	10 - 30	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
Disodium Trioxosilicate	(CAS No) 6834-92-0	5 - 10	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335
Tolyltriazole	(CAS No) 29385-43-1	5 - 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Acute 1, H402 Aquatic Chronic 3, H412
Maleic Anhydride	(CAS No) 108-31-6	< 1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Resp. Sens. 1, H334 Skin Sens. 1, H317 Aquatic Acute 3, H402

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice. Never give anything by mouth to an unconscious person.
 First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
 First-aid measures after skin contact : Wash contaminated clothing before reuse. Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention.
 First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
 First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : If you feel unwell, seek medical advice.
 Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
 Symptoms/effects after skin contact : Causes skin irritation.
 Symptoms/effects after eye contact : Causes serious eye damage.
 Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent firefighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

BTA PLUS Solid		
ACGIH	Not applicable	
OSHA	Not applicable	
Tetrapotassium Pyrophosphate Anhydrous (7320-34-5)		
ACGIH	Not applicable	
OSHA	Not applicable	
Sodium Nitrite (7632-00-0)		
ACGIH	Not applicable	
OSHA	Not applicable	
Sodium Nitrate (7631-99-4)		
ACGIH	Not applicable	
OSHA	Not applicable	
Disodium Trioxosilicate (6834-92-0)		
ACGIH	Not applicable	
OSHA	Not applicable	
Tolyltriazole (29385-43-1)		
ACGIH	Not applicable	
OSHA	Not applicable	
Maleic Anhydride (108-31-6)		
ACGIH	ACGIH TWA (mg/m ³)	0.01 mg/m ³ (inhalable fraction and vapor)
OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	0.25 ppm

8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Color	: White
Odor	: Not available
Odor threshold	: No data available
pH	: 10 - 11 at 5% dilution
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: 100 %
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

BTA PLUS Solid	
ATE US (oral)	386.585 mg/kg body weight
Tetrapotassium Pyrophosphate (7320-34-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 1.1 mg/l
Sodium Nitrite (7632-00-0)	
LD50 oral rat	85 mg/kg
LC50 inhalation rat (mg/l)	5.5 mg/l/4h
ATE US (oral)	85.000 mg/kg body weight
ATE US (vapors)	5.500 mg/l/4h
ATE US (dust,mist)	5.500 mg/l/4h
Sodium Nitrate (7631-99-4)	
LD50 oral rat	1267 mg/kg
ATE US (oral)	1267.000 mg/kg body weight
Disodium Trioxosilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg
ATE US (oral)	1153.000 mg/kg body weight

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disodium Trioxosilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg
ATE US (oral)	1153.000 mg/kg bodyweight
Tolyltriazole (29385-43-1)	
LD50 oral rat	675 mg/kg
LD50 dermal rabbit	> 4000 mg/kg
LC50 inhalation rat (mg/l)	> 1.73 mg/l/1h (Exposure Time: 1 h)
ATE US (oral)	675.000 mg/kg bodyweight
Maleic Anhydride (108-31-6)	
LD50 oral rat	235 mg/kg
LD50 dermal rabbit	2620 mg/kg
LC50 inhalation rat (mg/l)	0.16 mg/l/4h
ATE US (oral)	235.000 mg/kg bodyweight
ATE US (dermal)	2620.000 mg/kg bodyweight
ATE US (vapors)	0.160 mg/l/4h
ATE US (dust,mist)	0.160 mg/l/4h

Skin corrosion/irritation	: Causes skin irritation. pH: 10 - 11 at 5% dilution
Serious eye damage/irritation	: Causes serious eye damage. pH: 10 - 11 at 5% dilution
Respiratory or skin sensitization	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed.
Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information**12.1. Toxicity**

Ecology - water : Toxic to aquatic life.

Tetrapotassium Pyrophosphate (7320-34-5)	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l
NOEC chronic fish	100 mg/l
NOEC chronic algae	> 100 mg/l
Sodium Nitrite (7632-00-0)	
LC50 fish 1	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Sodium Nitrate (7631-99-4)	
LC50 fish 1	2000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 fish 2	994.4 - 1107 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Disodium Trioxosilicate (6834-92-0)	
LC50 fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LC50 fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
Tolyltriazole (29385-43-1)	
LC50 fish 1	65 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	35.4 mg/l (Exposure time: 48 h - Species: Daphnia Magnia)
ErC50 (algae)	62 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus)
Maleic Anhydride (108-31-6)	
LC50 fish 1	75 mg/l
NOEC chronic algae	150 mg/l

12.2. Persistence and degradability

BTA PLUS Solid	
Persistence and degradability	Not established.
Tetrapotassium Pyrophosphate (7320-34-5)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

BTA PLUS Solid	
Bioaccumulative potential	Not established.
Tetrapotassium Pyrophosphate (7320-34-5)	
Bioaccumulative potential	Not established.
Sodium Nitrite (7632-00-0)	
Log Pow	-3.7 (at 25 °C)
Sodium Nitrate (7631-99-4)	
Log Pow	-3.8 (at 25 °C)
Maleic Anhydride (108-31-6)	
BCF fish 1	(hydrolysis)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on global warming : No known effects from this product.

Other information : Avoid release to the environment.

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Produkt/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

UN-No. (DOT) : UN3077
UN-No. (IMDG) : Non Regulated
UN-No. (IATA) : Non Regulated

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Environmentally hazardous substances, solid, n.o.s.
(Sodium Nitrite)
RQ of 500 lb due to Sodium Nitrite
Proper Shipping Name (IMDG) : Non Regulated
Proper Shipping Name (IATA) : Non Regulated

14.3. Transport hazard class(es)

Class (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)
Hazard labels (DOT) : 9



Transport hazard class(es) (IMDG) : Not applicable.
Transport hazard class(es) (IATA) : Not applicable.

14.4. Packing group

Packing group (DOT) : III
Packing group (IMDG) : Not applicable.
Packing group (IATA) : Not applicable.

14.5. Environmental hazards

Marine pollutant (DOT) : No
Marine pollutant (IMDG) : No
Marine pollutant (IATA) : No

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Sodium Nitrite	CAS No 7632-00-0	10 - 30%
Maleic Anhydride	CAS No 108-31-6	< 1%
Ethylene oxide	CAS No 75-21-8	< 1%
Ethylene Dichloride	CAS No 107-06-2	< 1%

Sodium Nitrite (7632-00-0)

Subject to reporting requirements of United States SARA Section 313

EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a final Significant New Use Rule.
CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	1.0 %

Tolytriazole (29385-43-1)

EPA TSCA Regulatory Flag TP - TP - indicates a substance that is the subject of a proposed TSCA Section 4 test rule.

Methyl-oxirane polymer with oxirane (9003-11-6)

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule. (40 CFR 711)

Maleic Anhydride (108-31-6)

Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	5000 lb
SARA Section 313 - Emission Reporting	1.0 %

Polydimethylsiloxane (63148-62-9)

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule. (40 CFR 711)

Polyethylene Glycol (25322-68-3)

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule. (40 CFR 711)

Ethylene oxide (75-21-8)

Listed on the United States SARA Section 302

Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	10 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb
SARA Section 313 - Emission Reporting	0.1 %

1,2-dichloroethane (107-06-2)

Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	0.1 %

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Sodium Nitrite (7632-00-0)	
Listed on the Canadian DSL (Domestic Substances List)	
Sodium Nitrate (7631-99-4)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class C - Oxidizing Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Disodium Trioxosilicate (6834-92-0)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class E - Corrosive Material
Tolyltriazole (29385-43-1)	
Listed on the Canadian DSL (Domestic Substances List)	
Maleic Anhydride (108-31-6)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Ethylene oxide (75-21-8)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	Yes	Yes	Yes	2 µg/day
1,2-dichloroethane (107-06-2)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	10 µg/day

SECTION 16: Other information

Other information : None.

Full text of H-phrases:

H272	May intensify fire; oxidiser
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

G50

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.
- NFPA specific hazard : NA - Not Applicable



Hazard Rating

- Health : 2 Moderate Hazard - Temporary or minor injury may occur
- Flammability : 0 Minimal Hazard
- Physical : 0 Minimal Hazard
- Personal protection : C

Baldwin Filters SDS

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.