DNV BUSINESS ASSURANCE

MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 64821-2009-AQ-USA-RvA

This is to certify that

Parker Hannifin Corporation
Gear Pump Division

at

2701 Intertech Drive, Youngstown, OH 44501 USA

Additional Location:

Site Address	Site City	Site State	Site Main Activities
1775 Logan Avenue	Youngstown	OH 44501	Design & Development, Product Testing, Foundry Operations

has been found to conform to the Management System Standard:

ISO 9001:2008

This Certificate is valid for the following product or service ranges:

The Design, Development, Manufacture, Assembly And Testing Of Gear Pumps And Motors With Foundry And Machining Including Administrative Functions Of Contract Review, Design And Production Scheduling At Youngstown Ohio.

Initial Certification date:
November 02, 2009

This Certificate is valid until:
November 02, 2015

The audit has been performed under the supervision of
Charles Kittl
Lead Auditor

MGMT. SYS.
RvA C 024

Place and date:
Houston, Texas, September 20, 2012

for the Accredited Unit:
DNV CERTIFICATION B.V.,
THE NETHERLANDS

John Stefan
Management Representative

Lack of fulfillment of conditions as set out in the Certification Agreement may render this Certificate invalid.

DNV BUSINESS ASSURANCE

DET NORSKE VERITAS CERTIFICATION INC.
1400 Ravello Drive
Katy, TX 77449
USA
Tel: **(281) 396 1000**
Fax: **(281) 396 1903**
www.dnvcert.com

Parker Hannifin Corporation
2701 Intertech Drive,
Youngstown, OH 44509

Att: Ken Bruns

Your ref:	Our ref:	Date:
	PRJC-154041-2009-MSC-USA	October 09, 2012

RE: Management System Certificate
Certificate No : **64821-2009-AQ-USA-RvA**
Standard : **ISO 9001:2008**

Dear Ken,

Congratulations on your certification to ISO 9001:2008.
DNV is pleased to present Parker Hannifin Corporation with your Management System 64821-2009-AQ-USA-RvA.

To assist you in publicizing your certification, we have created a Management System Certification Marks Guidelines document that will walk you through the Use of the Certification Mark, showing you examples of printed materials, advertising, tradeshows/permanent structures, packaging and public relations. I have emailed you login details for the website where you can download the marketing guidelines and your certification marks. For the Logo Use Guidelines you can also refer to Appendix I of your certificate package.

We have enjoyed working with you, and look forward to our continued relationship.
If you have any questions regarding your certificate, please call me.

Best Regards
for Det Norske Veritas Certification Inc.

Lillian Baker
Certificate Issuance

MGMT. SYS.
RvA C 024

APPENDIX I
TO
CERTIFICATE No: 64821-2009-AQ-USA-RvA

DNV

Issued to : **PARKER HANNIFIN CORPORATION**

Address : 2701 Intertech Drive
Youngstown- 44509
USA

Conditions of Certification

1. The Certificate holder shall ensure that its Quality Management System is maintained in accordance with the requirements of the certified standard.

2. The Certificate holder shall keep DNV Certification B.V., informed of any significant changes in either its Quality Management System or any other conditions which may affect quality.

3. The Certificate holder shall give DNV Certification B.V. admittance and assistance in the auditing and surveillance of:

   - The Quality Management System description, including procedures and work instructions, and its implementation.
   - The production process, equipment, execution of services, facilities and personnel covered by this certification.
   - Raw materials, semi-finished products, finished products and procured services.
   - Quality records and statistics.

4. The Quality Management System will be periodically audited by DNV Certification B.V., areas covered will be those considered appropriate by the auditor. Periodical Audits must take place within one month of the scheduled date.

5. In addition to scheduled Periodical Audits DNV Certification B.V. shall be entitled to perform unscheduled audits, with the certificate holder's permission but with minimal notice, in order to verify that the Quality Management System is being adequately maintained.

6. The certificate holder shall be entitled to use the DNV / RvA certification mark in accordance with the Rules for the use of this mark - enclosed as attachment I hereto. The mark may not be used in an unauthorised manner, nor imply product conformity.

7. If the certificate holder fails to meet any of the conditions of certification listed in this appendix, DNV Certification B.V. shall be entitled to suspend or withdraw the certificate as outlined in the Basic Service Description of the DNV Certification B.V. Quality Management System Certification Scheme.

USE OF CERTIFICATION MARKS UNDER THE ACCREDITATION BY THE DUTCH COUNCIL FOR ACCREDITATION (RvA)

1.0 INTRODUCTION

This procedure describes the conditions under which customers of DNV Certification B.V., with a valid Quality Management System Certificate issued under the Accreditation of the Dutch Council for Accreditation (RvA), may use the associated certification marks.
Should, however, a certificate holder wish to use the DNV CERTIFCATION B.V. mark on its own, reference is made to paragraph 4 below.

2.0 CERTIFICATION MARKS

2.1. Companies certificated by DNV Certification B.V., under its Dutch accredited Quality Management System certification scheme are entitled to use any one of the certification marks as given in Attachment 2 to Appendix 1.

3.0 CONDITIONS OF USE

3.1. Certificate holders may use only the marks appropriate to the level of standard(s) to which they have been audited, i.e. ISO 9001, ISO 14001.

3.2. Holders of a certificate issued by DNV Certification B.V., under the accreditation of RvA are entitled to use the illustrated certification marks on letter headings, brochures and other promotional material. The mark must not be used on a manufactured product, packaging, trade samples or any other statements of product conformity.

3.3. The size of the certification mark is restricted to the max dimensions of the RvA logo (including the two lines of text) which shall not exceed 34x25 mm (width x height). The certification mark shall not be larger than the certificate holders own logo on the same letter head etc. It must always be reproduced in its whole entirety, including the surrounding outline (box). Use of RvA's logo alone is strictly prohibited. (Regarding the use of the DNV logo, see paragraph 4.0 below).

The colours of the DNV logo are: Green: PMS 370, Blue: PMS 286.
The colours of the RvA mark are: Ochre PMS 131, Blue: PMS 296.

3.4. The certification mark shall not be used, under any circumstances, on or closely associated with products in such a way as to imply that the product itself is certificated.

3.5. Where there is evidence of misuse of either the certification mark or the certificate by the certificate holder, action taken by DNV Certification B.V. could be one or more of the following:

- Informing the certificate holder of the required corrective action to be taken on its part.
- Suspension or withdrawal of the certificate.
- Publication of the transgression.
- Legal action.

The type of action will be influenced by the nature of the misuse, its subsequent consequences and whether or not the misuse was inadvertent or deliberate.

3.6. Notwithstanding 3.5 above the certificate holder shall immediately discontinue any use of the certification mark which is considered unacceptable by DNV Management System. In any such event, the decision of the Manager of DNV Certification B.V. shall be final.

3.7. In the event that a certificate ceases to be valid for whatever reason, the certificate holder shall immediately discontinue all use and distribution of any letter heads, promotional literature etc., bearing the certification mark.

3.8. The condition of use for the certification mark conforms to the requirements of the Dutch Council for Accreditation and may be changed accordingly.

4.0 USE OF THE DNV CERTIFICATION MARK

4.1. The use of the DNV certification mark on its own is permitted. The conditions of use shall be as for the combined DNV/RvA certification mark described in 3.0.
The certification mark may be used in black, the one colour with which a letter head is printed, or in the exact original colours as given in the enclosed example, see Attachment 3.